

# STANDENS

AN IMT COMPANY™

## Catalogues

- **Trailer Axles & Components** •
- **Suspension Parts** •



# STANDENS

AN IMT COMPANY™



**Toll Free:** 1.800.663.7800

**Phone:** (403) 258.7800

**Fax:** (403) 258.7897

**Toll Free Fax:** 1.866.258.7897

**standens.com**

# Contents

|                                          |       |
|------------------------------------------|-------|
| Trailer Axles & Components 2,000 lb..... | 1-9   |
| Trailer Axles & Components 3,500 lb..... | 10-16 |
| Trailer Axles & Components 6,000 lb..... | 17-23 |
| Trailer Axles & Components 7,000 lb..... | 24-30 |
| Trailer Axles & Components 8,000 lb..... | 31-36 |

|                             |           |
|-----------------------------|-----------|
| <b>Parts Catalogue.....</b> | <b>37</b> |
| Couples.....                | 39-41     |
| Jacks.....                  | 42-43     |
| Trailer Balls.....          | 44        |
| Receiver Tube .....         | 45        |
| Ball Hideaway.....          | 45        |
| Fifth Wheel.....            | 45        |
| KingPin Hideaway.....       | 45        |
| KinPin.....                 | 45        |
| Pintle Rings.....           | 46        |
| Pintle Hooks.....           | 47        |
| Pintle Mount.....           | 47        |
| Fenders.....                | 48        |
| Wheels.....                 | 49        |
| Bearing Protectors.....     | 50        |
| Locks.....                  | 50        |
| D-Rings.....                | 51        |
| Rope Rings.....             | 51        |
| Stake Pocket.....           | 51        |
| Breakaway Parts.....        | 52        |
| Brake Controls.....         | 53        |

# STANDENS

AN IMT COMPANY™

## Trailer Axles and Components 2,000 lb.



**Genuine  
Standen's Parts**

 **INGERSOLL AXLES**  
AN IMT COMPANY™

**McGOY Bros.**

Distributor  
  
**EXTER AXLE**  
Genuine Replacement Parts

**AL-KO**



**ISO 9001  
CERTIFIED**

**Top Quality Trailer Axles & Components**

## **Standen's Warranty**

IMT Standen's Limited Partnership warrants Axle products manufactured or supplied by us to be free from defects in material and workmanship under normal use and service for a period of one year from date of manufacture of the product.

We will repair or replace without charge, shipping included, or at our option give credit for components shown to be out of specifications or defective.

This replacement warranty is limited to parts only and does not include any labour charges, down time costs or consequential costs due to the defective product.

The warranty on our product is void when:

1. Axle capacity is exceeded.
2. The brakes are not adjusted before the trailer is put into use.
3. Products are not installed according to factory recommendations and maintained.
4. Proper maintenance is not carried out.
5. Our products are altered or changed from original factory specifications without our knowledge and consent.
6. Damage occurs due to destructive driving or road conditions.
7. The product sits idle longer than 3 months and is not pre-serviced before being out into service.

This limited Warranty applies to the first use purchaser of the product only.

This limited Warranty is the only Warranty offered by us and therefore no employees, agent, salesperson or other person has the authority to offer or make any other Warranty.

## **Axle Division Return Policy**

AXLES CAN NOT BE RETURNED SPECIAL ORDER PARTS CAN NOT BE RETURNED

RETURNS ARE NOT ACCEPTED AFTER 30 DAYS OF PURCHASE DATE

There is no restocking fee associated with parts returned within 10 DAYS OF PURCHASE however parts returned after 10 days are subject to a 20% restocking fee.

A COPY OF THE ORIGINAL INVOICE MUST  
ACCOMPANY ALL RETURNS

ALL RETURNS MUST BE PREVIOUSLY APPROVED  
WITH AN RGA NO.

PARTS MUST BE RETURNED FREIGHT PREPAID


## How to Measure an Axle

There are many ways to measure the length of an axle beam. The most accurate way to measure would be → **hub-face-to-hub-face** and **spring-center-to-spring-center** lengths.


What is the hub face measurement? Hub face is the distance from outside of hub mounting face to outside of hub mounting face. The hub face is also known as the mounting surface where the wheel makes contact with the hub. (See straight axle reference diagram below)

The **spring centers** identify the position of the springs and mounting hardware, as well this should align with the mounting positions on the trailer frame rails.

Please note that the springs can be mounted above (overslung) or below (underslung) the axle. This will raise or lower the axle depending on the configuration.




Alternatively - the flange face to flange face measurement can be provided which is measured from the outside of one brake flange to the outside of the opposite one (Where the brakes bolt on) as you see below.



This length may be easy to obtain if you are replacing an axle, but it's important to note that this measurement is not the preferred method for determining which axle will best fit your trailer.


**Hub face & spring center measurements are required before any order will be built.**

## 7 X 1 1/4" Electric Brake




| Item   | Part #    | Qty/Brk | Description                        |
|--------|-----------|---------|------------------------------------|
| 2 & 4  | 12-709    | 1       | LH Complete Brake Assembly         |
|        | 12-710    | 1       | RH Complete Brake Assembly         |
|        | 71-361    | 1       | Spring Kit containing:             |
|        |           | 1       | #046-023-00 Shoe Hold Down Spring  |
| 3      | 71-45     | 1       | #046-024-00 Retractor Spring       |
|        |           | 1       | Shoe & Lining Kit containing:      |
|        |           | 1       | #040-125-00 Primary S&L            |
|        |           | 1       | #040-049-00 Secondary S&L          |
| 5      | 47-114-01 | 1       | LH Actuating Lever Arm             |
|        | 47-115-01 | 1       | RH Actuating Level Arm             |
| 6      | 46-030-00 | 2       | Anchor Post Clip                   |
| 7      | 27-005-00 | 1       | Wire Clip                          |
| 8      | 71-57     | 1       | Magnet Kit containing:             |
| 9 & 10 | 71-323    | 1       | #042-134-00 Magnet                 |
|        |           | 1       | #046-121-00 Magnet Clip            |
|        |           | 1       | #046-086-00 Magnet Spring          |
|        |           | 1       | Adjusting Spring Kit               |
|        |           | 1       | #046-022-00 Adjusting Screw Spring |
|        |           | 1       | #043-021-00 Adjusting Screw        |
| 14     | 46-007-00 | 1       | Plug                               |
| 15     | 46-114-00 | 2       | Shoe Centering Spring              |

## 7 X 1 3/4" Hydraulic Brake



| Item    | Part #   | Qty/Brk | Description                             |
|---------|----------|---------|-----------------------------------------|
|         | 13-711   | 1       | LH Complete Brake Assembly              |
|         | 13-712   | 1       | RH Complete Brake Assembly              |
| 1       | N/A      | 1       | Backing Plate                           |
| 2       | N/A      | 4       | Mounting Stud - Press-in                |
| 3A & 3B | 54-80-03 | 1       | Wheel Cylinder Assembly - LH - Dexter   |
|         | 54-80-04 | 2       | Wheel Cylinder Assembly - RH - Dexter   |
| 4       | N/A      | 1       | Anchor Post                             |
| 5       | N/A      | 1       | Lock Washer                             |
| 6       | N/A      | 1       | Counter Sunk Cap Screw                  |
| 7       | N/A      | 1       | Hex Nut                                 |
| 8       | N/A      | 1       | Socket Head Cap Screw                   |
| 9       | 71-466   | 1       | Shoe & Lining Kit - Dexter - containing |
|         |          | 1       | #040-327-01 Primary S&L                 |
|         |          | 1       | #040-328-01 Secondary S&L               |
|         |          | 2       | #046-006-00 Shoe Hold Down Spring       |
|         |          | 4       | #035-001-00 Shoe Hold Down Spring       |
|         |          | 2       | #049-014-00 Hold Down Pin               |
| 11      | 46-126   | 1       | Retractor Spring                        |
| 12      | 46-127   | 1       | Adjusting Screw Spring                  |
| 15      | 43-29    | 1       | Adjuster Screw Assembly                 |
| 16      | 46-7     | 1       | Adjuster Slot Plug                      |

## 2,000 LB. CAPACITY S-20 - BTR HUB GROUP



### Standard Grease Lube Parts

| Item | Part # | Description                         | Item | Hubs Part # | Description                                                    | Bolt Circle |
|------|--------|-------------------------------------|------|-------------|----------------------------------------------------------------|-------------|
|      | 602    | Bearing Kit - 1 Hub                 | 25   | 8-441       | Plain Hub - tapped                                             | 4 on 4.00   |
| 1    | 10-9   | 10-9 Grease Seal                    | 24A  | 9-441       | Hub & Drum - tapped<br>for use w/electric brakes only          | 4 on 4.00   |
| 2    | L44649 | Inner Bearing Cone                  | 24B  | 9-441H      | Hub & Drum - tapped<br>for use w/hydraulic brakes only         | 4 on 4.00   |
| 3    | L44610 | Inner Bearing Cup                   | 27A  | 8-451       | Plain Hub - tapped<br>5 1/2" dia. flange for 8"                | 5 on 4.50   |
| 4    | L44610 | Outer Bearing Cup                   | 27B  | 8-451-LD    | Plain Hub - studded<br>6 1/2" dia. flange for 12" & 13" wheels | 5 on 4.50   |
| 5    | L44649 | Outer Bearing Cone                  | 26A  | 9-451       | Hub & Drum - studded<br>for use w/electric brakes only         | 5 on 4.50   |
| 6    | 821-3  | Spindle Nut                         | 26B  | 9-451H      | Hub & Drum - studded<br>for use w/hydraulic brakes only        | 5 on 4.50   |
| 7    | 880-1  | Cotter Pin (not used with E-Z Lube) |      |             |                                                                |             |
| 8    | DC-11  | Grease Cap                          |      |             |                                                                |             |
| 8A   | DC-11A | Grease Cap E-Z Lube                 |      |             |                                                                |             |
| 8B   | 85-1   | Rubber Plug for E-Z Lube            |      |             |                                                                |             |
| 9    | 841-5  | Tang Washer for E-Z Lube            |      |             |                                                                |             |

### Brakes

| Item | Part # | Description                    |
|------|--------|--------------------------------|
| 20   | 12-709 | LH 7x1 1/4 Electric            |
| 20   | 12-710 | RH 7x1 1/4 Electric            |
| ns   | 13-711 | LH 7x1 3/4 Hydraulic Uni-servo |
| ns   | 13-712 | RH 7x1 3/4 Hydraulic Uni-servo |


### Studs, Bolts & Wheel Nuts

| Item | Part # | Description                    |
|------|--------|--------------------------------|
| ns   | WB-30  | 1/2-20 Bolt - 90 Deg. Taper    |
| ns   | WB-40  | 1/2-20 Bolt - 60 Deg. Taper    |
| 11   | DE-04  | 1/2-20 Double Ended Wheel Stud |
| 13   | WN-2   | 1/2-20 Wheel Nut               |



## LEAF SPRING APPLICATION INFORMATION

### DOUBLE EYE SPRING SUSPENSION



\* Measurements will be dependent on spring used

#### Single Hanger Kits

##### Part # 579-0

| Part # | Capacity/Spring       |
|--------|-----------------------|
| 540-14 | Front Hanger          |
| 540-9  | Rear Hanger Eye       |
| 545-3  | Shackle Strap         |
| 801-1  | 9/16 Shackle Bolt     |
| 810-2  | 7/16 Flanged Lock Nut |

#### Double Eye Springs

| Part # | Capacity/Spring |
|--------|-----------------|
| 5015-3 | 675 lbs.        |
| 5015-4 | 900 lbs.        |
| 5015-5 | 1000 lbs.       |

#### Tandem Hanger Kits


##### Part # 577-0

| Part #  | Capacity/Spring       |
|---------|-----------------------|
| 540-2   | Front and Rear Hanger |
| 540-14  | Centre Hanger         |
| 543-0   | Equalizer             |
| 545-225 | Shackle Strap         |
| 801-1   | 9/16 Shackle Bolt     |
| 810-2   | 7/16 Flanged Lock Nut |

Some combinations of hangers and spring mounting may result in insufficient clearance

## LEAF SPRING APPLICATION INFORMATION

### SLIPPER SPRING SUSPENSION



#### Spring

| Part #  | Capacity/Spring |
|---------|-----------------|
| BT25-6  | 500 lbs.        |
| BT25-9  | 750 lbs.        |
| BT25-15 | 1200 lbs.       |

#### Single Hanger Kits Part #580

| Part # | Description           |
|--------|-----------------------|
| 540-14 | Front Hanger          |
| 540-15 | Rear Hanger Eye       |
| 801-1  | 9/16 Shackle Bolt     |
| 810-2  | 7/16 Flanged Lock Nut |
|        | 3/8 x 3 1/2 Bolt      |
|        | 3/8 Lock Nut          |

Some combinations of hangers and spring mounting may result in insufficient bump clearance

**Wheel & Tire Assemblies**  
**See Attached page**

## 2000

### Wheels

| Part #      | Rim Size     | Bolt Circle | Offset | Capacity & psi | Type        |
|-------------|--------------|-------------|--------|----------------|-------------|
| 15-1345-5-1 | 13 x 4 1/2JJ | 5 on 4.50   |        | 0 1360 @ 50    | Eight Spoke |

### Wheel and Tire Assemblies

| Part #         | Rim Size | Bolt Circle | Offset | Capacity & psi | Load Range | Type         |
|----------------|----------|-------------|--------|----------------|------------|--------------|
| 24-480C8-4     | 8"       | 4 on 4.00   |        | 0 760 @ 90psi  | C          | Conventional |
| 24-480C8-5     | 8"       | 4 on 4.00   |        | 0 760 @ 90psi  | C          | Conventional |
| 24-570C8-4     | 8"       | 4 on 4.00   |        | 0 910 @ 75psi  | C          | Conventional |
| 24-570C8-5     | 8"       | 4 on 4.00   |        | 0 910 @ 75psi  | C          | Conventional |
| 24-530C12-4    | 12"      | 4 on 4.00   |        | 0 1050 @ 80psi | C          | Conventional |
| 24-530C12-5    | 12"      | 5 on 4.50   |        | 0 1050 @ 80psi | C          | Conventional |
| 25-17580C13-5  | 13"      | 5 on 4.50   |        | 0 1360 @ 50psi | C          | Spoke        |
| 27-17580C13-55 | 13"      | 5 on 4.50   |        | 0 1360 @ 50psi | C          | Aluminum     |



# STANDENS

AN IMT COMPANY™

## Trailer Axles and Components 3,500 lb.



**Genuine  
Standen's Parts**

 **INGERSOLL AXLES**  
AN IMT COMPANY™


**McCOY Bros.**

Distributor  
  
**EXTER AXLE**  
Genuine Replacement Parts

**AL-KO**  **ISO 9001  
CERTIFIED**

**Top Quality Trailer Axles & Components**

## 3,500 LB CAPACITY S-35 H HUB GROUP WITH OPTIONAL BOLT CIRCLE



### STANDARD GREASE LUBE PARTS

| Item | Part #  | Description              |
|------|---------|--------------------------|
|      | 603     | Bearing Kit - 1 Hub      |
| 1    | SE-22EZ | Grease Seal              |
| 2    | L68149  | Inner Bearing Cone       |
| 3    | L68111  | Inner Bearing Cup        |
| 4    | L44610  | Outer Bearing Cup        |
| 5    | L44649  | Outer Bearing Cone       |
| 6    | 821-3   | Spindle Nut              |
| 7    | 880-1   | Cotter Pin               |
| 8    | DC-11   | Grease Cap               |
| 8A   | DC-11A  | Grease Cap for E-Z Lube  |
| 8B   | 85-1    | Rubber Plug for E-Z Lube |
| 9    | 841-1   | Spindle Washer           |
| 11   | 841-5   | Tang Washer for E-Z Lube |

### STUDS & WHEEL NUTS

| Item | Part # | Description              |
|------|--------|--------------------------|
| 10   | WS-112 | Wheel Stud               |
| 13   | WN-2   | 1/2-20 Wheel Nut         |
| 10   | WS-109 | Wheel Stud 1/2x 1- 13/16 |



### Hubs and Drums

| Item | Part # | Description                | Bolt Circle |
|------|--------|----------------------------|-------------|
| * 24 | 9-545  | 10 x 2 1/4 Studded, 1/2-20 | 5 on 4.50   |
| 24   | 9-5475 | 10 x 2 1/4 Studded, 1/2-20 | 5 on 4.75   |
| 24   | 9-550  | 10 x 2 1/4 Studded, 1/2-20 | 5 on 5.00   |
| 24   | 9-555  | 10 x 2 1/4 Studded, 1/2-20 | 5 on 5.50   |
| 26   | 9-655  | 10 x 2 1/4 Studded, 1/2-20 | 6 on 5.50   |

### 10 X 2 1/4 BRAKES


| Item | Part #  | Description            |
|------|---------|------------------------|
| * 20 | 12-1013 | LH Electric            |
| * 20 | 12-1014 | RH Electric            |
| * ns | 13-1015 | LH Hydraulic Uni-servo |
| * ns | 13-1016 | RH Hydraulic Uni-servo |

### Plain Hubs

| Item | Part # | Description       | Bolt Circle |
|------|--------|-------------------|-------------|
| 25   | 8-545  | Idler Hub Studded | 5 on 4.50   |
| 25   | 8-5475 | Idler Hub Studded | 5 on 4.75   |
| 25   | 8-550  | Idler Hub Studded | 5 on 5.00   |
| 25   | 8-555  | Idler Hub Studded | 5 on 5.50   |
| 27   | 8-655  | Idler Hub Studded | 6 on 5.50   |

\* North American and in house brand available

## 3,500 LB CAPACITY S-35 H HUB GROUP WITH OPTIONAL BOLT CIRCLE




\* Dexter model shown

### ELECTRIC BRAKES & COMPONENTS

| Item  | Part #    | Qty/Brk | Description                       |
|-------|-----------|---------|-----------------------------------|
|       | * 12-1013 | 1       | LH Complete Brake Assembly        |
|       | * 12-1014 | 1       | RH Complete Brake Assembly        |
| 1     | 36-19-1   | 1       | Backing Plate Assembly            |
| 2     | 47-19     | 1       | LH Actuating Lever Arm            |
| 2     | 47-20     | 1       | RH Actuating Lever Arm            |
| 4     | 27-5      | 3       | Wire Clip                         |
| 5     | 71-363    | 2       | Spring Kit                        |
| 6     | 71-47     | 1       | Shoe & Lining Kit containing:     |
|       |           | 1       | #040-017-00 Primary S&L           |
|       |           | 1       | #040-021-00 Secondary S&L         |
|       |           | 2       | #049-002-00 Shoe Hold Down Pin #8 |
|       |           | 2       | #046-077-00 Shoe Hold Down Spring |
| 7 & 8 | 71-324    | 1       | 43-4 - Adjuster Assembly          |
|       |           | 1       | 46-18 - Adjusting Screw Spring    |
| 9     | 71-104    | 1       | Magnet Kit containing:            |
|       |           | 1       | #042-097-01 Magnet (green wire)   |
|       |           | 1       | #027-009-00 Magnet Clip           |
|       |           | 1       | #046-080-00 Magnet Spring         |
| 10    | 46-7      | 1       | Plug                              |
| 11    | 46-46     | 1       | Wire Grommet                      |

## 10x 2 1/4" HYDRAULIC BRAKES




\* Dexter model shown

## HYDRAULIC BRAKES & COMPONENTS

| Item  | Part #    | Qty/Brk | Description                          |
|-------|-----------|---------|--------------------------------------|
|       | * 13-1015 | 1       | LH Brake Assembly Complete-Uni-Servo |
|       | * 13-1016 | 1       | RH Brake Assembly Complete-Uni-Servo |
| 2     | 71-337    | 1       | LH Brake Cylinder Uni-Servo          |
| 2     | 71-338    | 1       | RH Brake Cylinder Uni-Servo          |
| 3     | 54-60     | 1 or 2  | Push Rod (1 for Uni, 2 for Duo)      |
| 6     | 71-363    | 1       | Spring Kit                           |
| 7     | 71-267    | 1       | Shoe & Lining Kit containing:        |
|       |           | 1       | #040-210-00 Primary Shoe & Lining    |
|       |           | 1       | #040-211-00 Secondary Shoe & Lining  |
|       |           | 2       | #046-077-00 Shoe Hold Down Spring    |
|       |           | 2       | #049-002-00 Shoe Hold Down Pin #8    |
| 8 & 9 | 71-324    | 1       | 43-4 Adjuster Assembly               |
|       |           | 1       | 46-18 Adjusting Screw Spring         |
| 10    | 46-7      | 1       | Plug                                 |

## LEAF SPRING APPLICATION INFORMATION DOUBLE EYE SPRING SUSPENSION



\* Measurements will be Dependant on spring used

## DOUBLE EYE SPRINGS

### Spring

| Part # | Capacity/Spring |
|--------|-----------------|
| 125-3  | 1050 lbs.       |
| 125-4  | 1350 lbs.       |
| 125-5  | 1750 lbs.       |

### Triple Hanger Kit Part #578-0

| Part # | Capacity/Spring       |
|--------|-----------------------|
| 540-14 | Equalizer Hangers     |
| 540-7  | Front & Rear Hangers  |
| 542-1  | Equalizer - Front     |
| 543-0  | Equalizer - Rear      |
| 545-2  | Shackle Strap         |
| 801-1  | 9/16 Shackle Bolt     |
| 810-2  | 7/16 Flanged Lock Nut |

### Single Hanger Kits Part #576-0

| Part # | Capacity/Spring       |
|--------|-----------------------|
| 540-2  | Front Hanger          |
| 540-10 | Rear Hanger Eye       |
| 545-3  | Shackle Strap 3 inch  |
| 801-1  | 9/16 Shackle Bolt     |
| 810-2  | 7/16 Flanged Lock Nut |

### Tandem Hanger Kit Part #577-0


| Part #  | Capacity/Spring       |
|---------|-----------------------|
| 540-2   | Front and Rear Hanger |
| 540-14  | Centre Hanger         |
| 543-0   | Equalizer             |
| 545-225 | Shackle Strap         |
| 801-1   | 9/16 Shackle Bolt     |
| 810-2   | 7/16 Flanged Lock Nut |



Some combinations of hangers and spring mounting may result in insufficient bump clearance.

## LEAF SPRING APPLICATION INFORMATION

### SLIPPER SPRING SUSPENSION



\* Measurements will be  
Dependant on spring used

Some combinations of hangers and spring mounting may result in insufficient bump clearance.

## SLIPPER SPRINGS

### Spring

#### Part # Capacity/Spring

|         |          |
|---------|----------|
| 80-3T3  | 2000 lbs |
| 120-3T3 | 3500 lbs |
| 140-3T3 | 4000 lbs |

### Triple Hanger Kit

#### Part # 572-33-HD

| Part #      | Description                        |
|-------------|------------------------------------|
| 28-001-58HD | Front Hanger                       |
| 29-001HD    | Center Hanger 3.5" High Heavy Duty |
| 30-028HD    | Rear Hanger                        |
| 541-3-58    | Equalizer 5/8"                     |
| 6-111       | 7/8" NC Lock Nut for 7-1-1         |
| 7-1-1       | 7/8" NC Equalizer Bolt w/Zirk      |
| 800-1       | 3/8 X 3-1/2" NF Bolt               |
| 801-2       | 5/8" NF Suspension Bolt            |
| 820-1       | 3/8" NF Nylock, Plated             |
| 820-5       | 5/8" NF Lock Nut Plated            |

### Single Hanger Kit

#### Part# 570-0-HD

| Part #      | Description                       |
|-------------|-----------------------------------|
| 28-001-58HD | Front Hanger                      |
| 30-028HD    | Rear Hanger                       |
| 801-4       | 9/16" X 3-1/2" NF Suspension Bolt |
| 810-2       | 7/16" NF Flanged Lock Nut         |
| 820-1       | 3/8" NF Nylock, Plated            |
| 820-5       | 5/8" NF Lock Nut Plated           |

### Tandem Hanger Kit

#### Part # 571-33-HD

| Part #      | Description                        |
|-------------|------------------------------------|
| 28-001-58HD | Front Hanger                       |
| 29-001HD    | Center Hanger 3.5" High Heavy Duty |
| 30-028HD    | Rear Hanger                        |
| 801-4       | 9/16" X 3-1/2" NF Suspension Bolt  |
| 810-2       | 7/16" NF Flanged Lock Nut          |
| 820-1       | 3/8" NF Nylock, Plated             |
| 820-5       | 5/8" NF Lock Nut Plated            |
| 541-3-58    | Equalizer 5/8"                     |

See W/T Assembly Sheet

## Wheels

| Part #      | Rim Size    | Bolt Circle | Capacity & psi | Type        |
|-------------|-------------|-------------|----------------|-------------|
| 15-1345-5-1 | 13X 4 1/2JJ | 5 on 4.50   | 0 1360 @ 50psi | Eight Spoke |
| 15-146-5-1  | 14X 5 1/2JJ | 5 on 4.50   | 0 1870 @ 50psi | Eight Spoke |
| 15-156-5-1  | 15X 6JJ     | 5 on 4.50   | 0 2050 @ 75psi | Eight Spoke |
| 15-156-6-1  | 15X 6JJ     | 6 on 5.50   | 0 2600 @ 75psi | Eight Spoke |
| 16-156-6-1  | 15X 6JJ     | 6 on 5.50   | 0 2600 @ 75psi | Mini-Mod    |

## Wheels & Tire Assemblies

| Part #        | Rim Size | Bolt Circle | Capacity & psi | Load Range | Type        |
|---------------|----------|-------------|----------------|------------|-------------|
| 25-20575C14-5 | 14"      | 5 on 4.50   | 0 1760 @ 50psi | C          | Eight Spoke |
| 25-20575C15-5 | 15"      | 5 on 4.50   | 0 1820 @ 50psi | C          | Eight Spoke |
| 25-2057C15-6  | 15"      | 6 on 5.50   | 0 1820 @ 50psi | C          | Eight Spoke |
| 25-22575D15-5 | 15"      | 5 on 4.50   | 0 2050 @ 65psi | D          | Eight Spoke |
| 25-22575D15-6 | 15"      | 6 on 5.50   | 0 2540 @ 65psi | D          | Eight Spoke |
| 26-20575C15-5 | 15"      | 5 on 4.50   | 0 1820 @ 50psi | D          | Modular     |
| 26-22575D15-6 | 15"      | 6 on 5.50   | 0 2540 @ 65psi | E          | Modular     |
| 27-20575C14-5 | 14"      | 5 on 4.50   | 0 1760 @ 50psi | C          | Aluminum    |
| 27-20575C15-5 | 15"      | 5 on 4.50   | 0 1820 @ 50psi | C          | Aluminum    |
| 27-22575D15-6 | 15"      | 6 on 5.50   | 0 2540 @ 65psi | D          | Aluminum    |



# STANDENS

AN IMT COMPANY™

## Trailer Axles and Components 6,000 lb.



**Genuine  
Standen's Parts**

 **INGERSOLL AXLES**  
AN IMT COMPANY™

**McCOY** Bros.

Distributor  
  
**EXTER AXLE**  
Genuine Replacement Parts


**AL-KO**



**ISO 9001  
CERTIFIED**

**Top Quality Trailer Axles & Components**

## 6,000 LB CAPACITY S-60 - 655 & 865 HUB GROUP



### STANDARD GREASE LUBE PARTS

| Item | Part #  | Description                      |
|------|---------|----------------------------------|
|      | 604     | Bearing Kit -6 Stud -1 Hub       |
|      | 605     | Bearing Kit -8 Stud -1 Hub       |
| 1    | SE-18EZ | 2.125" Grease Seal               |
| 2    | 25580   | Inner Bearing Cone               |
| 3    | 25520   | Inner Bearing Cup                |
| 4    | 15245   | 6-Stud Outer Bearing Cup         |
| 5    | 15123   | 6-Stud Outer Bearing Cone        |
| N/S  | 14276   | 8-Stud Outer Bearing Cup         |
| N/S  | 14125A  | 8-Stud Outer Bearing Cone        |
| 6    | 821-3   | Spindle Nut                      |
| 7    | 880-1   | Cotter Pin (not used w/E-Z Lube) |
| 8    | DC-13   | Grease Cap -6 Bolt               |
| 8A   | DC-13A  | Grease Cap for E-Z Lube -6 Bolt  |
| N/S  | 1605    | Grease Cap -8 Bolt               |
| N/S  | 1605EZ  | Grease Cap for E-Z Lube -8 Bolt  |
| 8B   | 85-1    | Rubber Plug for E-Z Lube         |
| 9    | 841-1   | Spindle Washer                   |
| 10   | WS-112  | Wheel Stud 1/2                   |
| N/S  | WS-115  | Wheel Stud 1/2                   |
| N/S  | WS-116  | Wheel Stud 1/2                   |
| 11   | 841-5   | Tang Washer for E-Z Lube Hubs    |
| * 10 | WS-122  | Wheel Stud 9/16                  |
| 10   | WS-119  | Wheel Stud 9/16                  |

### 12 x 2 BRAKES

| Item | Part #  | Description       |
|------|---------|-------------------|
| * 20 | 12-1217 | LH Electric       |
| * 20 | 12-1218 | RH Electric       |
| * ns | 13-1221 | LH Hyd. Uni-servo |
| * ns | 13-1222 | RH Hyd. Uni-servo |
| * ns | 13-1223 | LH Hyd. Duo-servo |
| * ns | 13-1224 | RH Hyd. Duo-servo |

### Hubs

| Item | Part #    | Description                   | Bolt Circle |
|------|-----------|-------------------------------|-------------|
| * 24 | 9-136     | Grease Hub & Drum             | 6 on 5.50   |
| * 25 | 8-136     | Grease Plain Hub              | 6 on 5.50   |
| * 25 | 9-138     | Grease Hub & Drum w 1/2" Stud | 8 on 6.50   |
| * 25 | 9-138-916 | Hub & Drum w 9/16" Stud       | 8 on 6.50   |

### WHEEL NUTS


| Item | Part # | Description      |
|------|--------|------------------|
| 13   | WN-2   | 1/2-20 Wheel Nut |
| 13   | WN_6   | 9/16 Wheel Nut   |



\* North American & In House Brand Available

\* Dexter Only  
n/s -not shown

## 12 x 2" ELECTRIC BRAKES




\* Dexter model shown

## DXQ ELECTRIC BRAKES & COMPONENTS

| Item  | Part #  | Qty/Brk | Description                       |
|-------|---------|---------|-----------------------------------|
|       | 12-1217 | 1       | LH Complete Brake Assembly        |
|       | 12-1218 | 1       | RH Complete Brake Assembly        |
| 2     | 47-107  | 1       | LH Actuating Lever Arm Assembly   |
| 2     | 47-108  | 1       | RH Actuating Lever Arm Assembly   |
| 3     | 27-5    | 2       | Wire Clip                         |
| 4     | 71-363  | 2       | Spring Kit                        |
| 5     | 71-48   | 1       | Shoe & Lining Kit containing:     |
|       |         | 1       | #040-044-00 Primary S&L           |
|       |         | 1       | #040-045-00 Secondary S&L         |
|       |         | 2       | #049-011-00 Shoe Hold Down Pin #8 |
|       |         | 2       | #046-077-00 Shoe Hold Down Spring |
| 6 & 7 | 71-324  | 1       | Adjuster Assembly                 |
|       |         | 1       | Adjusting Screw Spring            |
| 8     | 71-105  | 1       | Magnet Kit containing:            |
|       |         | 1       | #042-099-01 Magnet (white wire)   |
|       |         | 1       | #027-009-00 Magnet Clip           |
|       |         | 1       | #046-080-00 Magnet Spring         |
| 9     | 46-7    | 1       | Plug                              |
| 10    | 46-16   | 1       | Wire Grommet                      |

## 12 x 2" HYDRAULIC BRAKES




\* Dexter model shown

### HYDRAULIC BRAKES & COMPONENTS

| Item  | Part #  | Qty/Brk | Description                          |
|-------|---------|---------|--------------------------------------|
|       | 13-1221 | 1       | LH Brake Assembly Complete-Uni-Servo |
|       | 13-1222 | 1       | RH Brake Assembly Complete-Uni-Servo |
|       | 13-1223 | 1       | LH Brake Assembly Complete-Uni-Servo |
|       | 13-1224 | 1       | RH Brake Assembly Complete-Uni-Servo |
| 3     | 54-60   | 1 or 2  | Push Rod                             |
| 6     | 46-101  | 2       | Retractor Spring                     |
| 7     | 71-268  | 1       | Shoe & Lining Kit containing:        |
|       |         | 1       | #040-204-00 Primary S&L              |
|       |         | 1       | #040-206-00 Secondary S&L            |
|       |         | 2       | #046-077-00 Shoe Hold Down Spring    |
| 8 & 9 | 71-396  | 2       | #049-012-00 Shoe Hold Down Pin #4    |
|       |         | 1       | Adjuster Assembly                    |
| 10    | 46-7    | 1       | Adjusting Screw Plug                 |

## LEAF SPRING APPLICATION INFORMATION

### 33" SPREAD SLIPPER SPRING SUSPENSION



### SLIPPER SPRINGS

#### Spring

| Part #  | Capacity/Spring |
|---------|-----------------|
| 120-3T3 | 3500 lbs.       |
| 140-3T3 | 4000 lbs.       |

#### Tandem Hanger Kit Part # 571-33-HD

| Part #      | Description                        |
|-------------|------------------------------------|
| 28-001-58HD | Front Hanger                       |
| 29-001HD    | Center Hanger 3.5" High Heavy Duty |
| 30-028HD    | Rear Hanger                        |
| 801-4       | 9/16" X 3-1/2" NF Suspension Bolt  |
| 810-2       | 7/16" NF Flanged Lock Nut          |
| 820-1       | 3/8" NF Nylock, Plated             |
| 820-5       | 5/8" NF Lock Nut Plated            |
| 541-3-58    | Equalizer 5/8"                     |

#### Single Hanger Kits Part #570-0-HD

| Part #      | Description                       |
|-------------|-----------------------------------|
| 28-001-58HD | Front Hanger                      |
| 30-028HD    | Rear Hanger                       |
| 801-4       | 9/16" X 3-1/2" NF Suspension Bolt |
| 810-2       | 7/16" NF Flanged Lock Nut         |
| 820-1       | 3/8" NF Nylock, Plated            |
| 820-5       | 5/8" NF Lock Nut Plated           |


#### Triple Hanger Kit Part # 572-33-HD

| Part #      | Description                        |
|-------------|------------------------------------|
| 28-001-58HD | Front Hanger                       |
| 29-001HD    | Center Hanger 3.5" High Heavy Duty |
| 30-028HD    | Rear Hanger                        |
| 541-3-58    | Equalizer 5/8"                     |
| 6-111       | 7/8" NC Lock Nut for 7-1-1         |
| 7-1-1       | 7/8" NC Equalizer Bolt w/Zirk      |
| 800-1       | 3/8 X 3-1/2" NF Bolt               |
| 801-2       | 5/8" NF Suspension Bolt            |
| 820-1       | 3/8" NF Nylock, Plated             |
| 820-5       | 5/8" NF Lock Nut Plated            |

Some combinations of hangers and spring mounting may result in insufficient bump clearance.

## LEAF SPRING APPLICATION INFORMATION

### 36" SPREAD SLIPPER SPRING SUSPENSION



\* Measurement Dependent on Spring used

## SLIPPER SPRINGS

### Tandem & Triple Hanger Kit

**Part # 571-36-HD / 572-36-HD**

| Part #      | Description                         |
|-------------|-------------------------------------|
| 28-001-58HD | Front Hanger                        |
| 29-001HD    | Center Hanger 3.5" High Heavy Duty  |
| 30-028HD    | Rear Hanger                         |
| 541-1       | 13" Equalizer for 2" Slipper Spring |
| 6-111       | 7/8" NC Lock Nut for 7-1-1          |
| 7-1-1       | 7/8" NC Equalizer Bolt w/Zirk       |
| 800-1       | 3/8 X 3-1/2" NF Bolt                |
| 801-2       | 5/8" NF Suspension Bolt             |
| 820-1       | 3/8" NF Nylock, Plated              |
| 820-5       | 5/8" NF Lock Nut Plated             |

Some combinations of hangers and spring mounting may result in sufficient bump clearance

| Part #     | Rim Size | Bolt Circle | Offset  | Capacity & psi | Type        |
|------------|----------|-------------|---------|----------------|-------------|
| 15-156-1   | 15X 6JJ  | 6 on 5.50   |         | 0 2600 @ 75psi | Eight Spoke |
| 16-156-1   | 15X 6JJ  | 6 on 5.50   |         | 0 2600 @ 75psi | Mini-Mod    |
| 15-166-6-1 | 16X 6K   | 6 on 5.50   |         | 0 3040 @ 80psi | Eight Spoke |
| 16-166-6-1 | 16X 6K   | 6 on 5.50   |         | 0 3040 @ 80psi | Mini-Mod    |
| 15-166-8-1 | 16X 6K   | 8 on 6.50   |         | 0 3315 @ 80psi | Eight Spoke |
| 16-166-8-1 | 16X 6K   | 8 on 6.50   | .50 in. | 3315 @ 80psi   | Mini-Mod    |

## WHEELS & TIRE ASSEMBLIES

| Part #        | Rim Size | Bolt Circle | Capacity & psi | Load Range | Type |
|---------------|----------|-------------|----------------|------------|------|
| 25-23580E16-6 | 16"      | 6 on 5.50   | 0 3200 @ 80psi | E          |      |
| 25-23580E16-8 | 16"      | 8 on 6.50   | 0 3520 @ 80psi | E          |      |
| 25-23585D16-6 | 16"      | 6 on 5.50   | 0 3040 @ 80psi | D          |      |
| 25-23585E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          |      |
| 26-23580E16-6 | 16"      | 6 on 5.50   | 0 3200 @ 80psi | E          |      |
| 26-23585E16-8 | 16"      | 8 on 6.50   | 0 3520 @ 80psi | E          |      |
| 26-23585D16-6 | 16"      | 6 on 5.50   | 0 3040 @ 80psi | D          |      |
| 26-23585E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          |      |
| 26-23585F16-8 | 16"      | 8 on 6.50   | 0 3960 @ 80psi | F          |      |
| 27-23858E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          |      |
| 27-23585F16-8 | 16"      | 8 on 6.50   | 0 3960 @ 80psi | F          |      |
| 25-22575D15-6 | 15"      | 6 on 5.50   | 2050 @ 65psi   | D          |      |
| 26-22575D15-6 | 15"      | 6 on 5.50   | 2540 @ 65psi   | D          |      |



# STANDENS

AN IMT COMPANY™

## Trailer Axles and Components 7,000 lb.



**Genuine  
Standen's Parts**

 **INGERSOLL AXLES**  
AN IMT COMPANY™

**McCOY** Bros.


Distributor  
  
**EXTER AXLE**  
Genuine Replacement Parts

**AL-KO** 

ISO 9001  
CERTIFIED

**Top Quality Trailer Axles & Components**

## 7,000 LB CAPACITY S-70 - 865 AND UT HUB GROUP



### STANDARD GREASE LUBE PARTS

| Item | Part #                | Description                 |
|------|-----------------------|-----------------------------|
|      | 605 / 605-25 / 605-EZ | Bearing Kit – 1 Hub         |
| 1    | SE-18EZ / SE-16       | Grease Seal                 |
| 2    | 25580                 | Inner Bearing Cone          |
| 3    | 25520                 | Inner Bearing Cup           |
| 4    | 14276                 | Outer Bearing Cup - 865 Hub |
| 5    | 14125A                | Outer Bearing Cone          |
| 6    | 821-3                 | Spindle Nut                 |
| 7    | 880-1                 | Cotter Pin                  |
| 8    | 1605                  | Grease Cap                  |
| 8A   | K1605A                | Grease Cap for E-Z Lube     |
| 8B   | 85-1                  | E-Z Lube Rubber Plug        |
| 9    | 841-1                 | Spindle Washer              |
| 15   | 841-5                 | Tang Washer (E-Z Lube)      |

### HUBS


| Item | Part #    | Description                    | Bolt Circle |
|------|-----------|--------------------------------|-------------|
| 25   | 9-138     | Grease Hub & Drum w 1/2" Stud  | 8 on 6.50   |
| 25   | 9-138-916 | Grease Hub & Drum w 9/16" Stud | 8 on 6.50   |

### STUDS & WHEEL NUTS

| Item | Part # | Description             |
|------|--------|-------------------------|
| 11   | WS-112 | 1/2-20 Pressed Stud     |
| 11   | WS-122 | 9/16-18 Pressed Stud    |
| 13   | WN-2   | 1/2 Wheel Nut           |
| 13   | WN-6   | 9/16 Wheel Nut          |
| 11   | WS-119 | 9/16 X 2 1/2 Wheel Stud |
| 11   | WS-115 | 1/2 x 2 1/2 Wheel Stud  |




## 12 x 2" ELECTRIC BRAKES



### DXQ ELECTRIC BRAKES & COMPONENTS

| Item   | Part #  | Qty/Brake | Description                       |
|--------|---------|-----------|-----------------------------------|
|        | 12-1219 | 1         | LH Complete Brake Assembly        |
|        | 12-1220 | 1         | RH Complete Brake Assembly        |
| 2      | 47-107  | 1         | LH Actuating Lever Arm Assembly   |
| 2      | 47-108  | 1         | RH Actuating Lever Arm Assembly   |
| 3      | 27-5    | 2         | Wire Clip                         |
| 4,7,8A | 71-363  | 1         | Spring Kit                        |
| 5      | 71-127  | 1         | Shoe & Lining Kit containing:     |
|        |         | 1         | #040-044-00 Primary S&L           |
|        |         | 1         | #040-045-00 Secondary S&L         |
|        |         | 2         | #049-011-00 Shoe Hold Down Pin #2 |
|        |         | 2         | #046-077-00 Shoe Hold Down Spring |
| 6 & 7  | 71-324  | 1         | Adjuster Assembly                 |
|        |         | 1         | Adjusting Screw Spring            |
| 8      | 71-125  | 1         | Magnet Kit containing:            |
|        |         | 1         | #042-099-01 Magnet (white wire)   |
|        |         | 1         | #027-009-00 Magnet Clip           |
|        |         | 1         | #046-080-00 Magnet Spring         |
| 9      | 46-7    | 1         | Plug                              |
| 10     | 46-16   | 1         | Wire Grommet                      |

## 12 X 2" 7K Hydraulic Brakes




## HYDRAULIC - 6K BRAKES & COMPONENTS

| Item  | Part #  | Qty/Brake | Description                          |
|-------|---------|-----------|--------------------------------------|
|       | 13-1221 | 1         | LH Brake Assembly Complete-Uni-Servo |
|       | 13-1222 | 1         | RH Brake Assembly Complete-Uni-Servo |
|       | 13-1223 | 1         | LH Brake Cylinder Complete-Duo-Servo |
|       | 13-1224 | 1         | RH Brake Cylinder Complete-Duo-Servo |
| 2     | 54-64   | 1         | LH Brake Cylinder Uni-Servo          |
| 2     | 54-65   | 1         | RH Brake Cylinder Uni-Servo          |
| 2     | 54-62   | 1         | LH Brake Cylinder Duo-Servo          |
| 2     | 54-63   | 1         | RH Brake Cylinder Duo-Servo          |
| 3     | 54-60   | 1 or 2    | Push Rod                             |
| 6     | 46-101  | 2         | Retractor Spring                     |
| 7     | 71-268  | 1         | Shoe & Lining Kit containing:        |
|       |         | 1         | #040-219-00 Primary Shoe & Lining    |
|       |         | 1         | #040-218-02 Secondary Shoe & Lining  |
|       |         | 2         | #046-077-00 Shoe Hold Down Spring    |
|       |         | 2         | #049-012-00 Shoe Hold Down Pin #4    |
| 8 & 9 | 71-396  | 1         | Adjuster Assembly                    |
|       |         | 1         | Adjusting Screw Spring               |
| 10    | 46-7    | 1         | Plug                                 |

## LEAF SPRING APPLICATION INFORMATION

### 33" SPREAD SLIPPER SPRING SUSPENSION



### SLIPPER SPRINGS

#### Spring

| Part #  | Capacity/Spring |
|---------|-----------------|
| 120-3T3 | 3500 lbs        |
| 140-3T3 | 4000 lbs        |

#### Single Hanger Kits

##### Part #570-0-HD

| Part #      | Capacity/Spring      |
|-------------|----------------------|
| 28-001-58HD | Front Hanger         |
| 30-028HD    | Rear Hanger          |
| 801-2       | 5/8" Suspension Bolt |
| 801-4       | 9/16" X 3 1/2" Bolt  |
| 820-4       | 9/16" Lock Nut       |
| 820-5       | 5/8" Lock Nut        |

#### Tandem & Triple Hanger Kits

##### # 571-33-HD / 572-33-HD


##### 33" Axle Spread

| Part #      | Capacity/Spring                   |
|-------------|-----------------------------------|
| 28-001-58HD | Front Hanger                      |
| 29-001HD    | Centre Hanger                     |
| 30-028HD    | Rear Hanger                       |
| 541-3-58    | Equalizer                         |
| 6-111       | 7/8" Lock Nut                     |
| 7-1-1       | 5/8 Lock Nut 7/8" Equalizer Bolt  |
| 801-2       | 5/8" Suspension Bolt - Spring Eye |
| 801-4       | 9/16" X 3 1/2" Suspension Bolt    |
| 820-4       | 9/16" Lock Nut                    |
| 820-5       | 5/8" Lock Nut                     |

Some combinations of hangers and spring mounting may result in insufficient bump clearance.

## LEAF SPRING APPLICATION INFORMATION

### 36" SPREAD SLIPPER SPRING SUSPENSION



## SLIPPER SPRINGS

### Tandem & Triple Hanger Kits #571-36-HD / 572-36-HD 36" Axle Spread

| Part #      | Description                       |
|-------------|-----------------------------------|
| 28-001-58HD | Front Hanger                      |
| 29-001HD    | Centre Hanger                     |
| 30-028HD    | Rear Hanger                       |
| 541-1       | Equalizer (For Slipper Spring)    |
| 6-111       | 7/8" Lock Nut                     |
| 7-1-1       | 7/8" Equalizer Bolt               |
| 800-1       | 3/8" x 3 1/2" Bolt                |
| 801-2       | 5/8" Suspension Bolt - Spring Eye |
| 801-4       | 9/16" X 3 1/2" Suspension Bolt    |
| 820-1       | 3/8" Nylock Plated                |
| 820-4       | 9/16" Lock Nut                    |
| 820-5       | 5/8" Lock Nut                     |

Some combinations of hangers and spring mounting may result in sufficient bump clearance

## WHEELS

| Part #     | Rim Size | Bolt Circle | Offset | Capacity & psi | Type        |
|------------|----------|-------------|--------|----------------|-------------|
| 15-156-1   | 15X 6JJ  | 6 on 5.50   |        | 0 2600 @ 75psi | Eight Spoke |
| 16-156-1   | 15X 6JJ  | 6 on 5.50   |        | 0 2600 @ 75psi | Mini-Mod    |
| 15-166-6-1 | 16X 6K   | 6 on 5.50   |        | 0 3040 @ 80psi | Eight Spoke |
| 16-166-6-1 | 16X 6K   | 6 on 5.50   |        | 0 3040 @ 80psi | Mini-Mod    |
| 15-166-8-1 | 16X 6K   | 8 on 6.50   |        | 0 3315 @ 80psi | Eight Spoke |
| 16-166-8-1 | 16X 6K   | 8 on 6.50   | .50in  | 3315 @ 80psi   | Mini-Mod    |

## WHEELS & TIRE ASSEMBLIES

| Part #        | Rim Size | Bolt Circle | Capacity & psi | Load Range | Type        |
|---------------|----------|-------------|----------------|------------|-------------|
| 25-23580E16-6 | 16"      | 6 on 5.50   | 0 3200 @ 80psi | E          | Eight Spoke |
| 25-23580E16-8 | 16"      | 8 on 6.50   | 0 3520 @ 80psi | E          | Eight Spoke |
| 25-23585D16-6 | 16"      | 6 on 5.50   | 0 3040 @ 65psi | D          | Eight Spoke |
| 25-23585E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          | Eight Spoke |
| 26-23580E16-6 | 16"      | 6 on 5.50   | 0 3200 @ 80psi | E          | Modular     |
| 26-23585E16-8 | 16"      | 8 on 6.50   | 0 3520 @ 80psi | E          | Modular     |
| 26-23585D16-6 | 16"      | 6 on 5.50   | 0 3040 @ 65psi | D          | Modular     |
| 26-23585E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          | Modular     |
| 26-23585F16-8 | 16"      | 8 on 6.50   | 0 3960 @ 95psi | F          | Modular     |
| 27-23585E16-8 | 16"      | 8 on 6.50   | 0 3640 @ 80psi | E          | Aluminum    |
| 27-23585F16-8 | 16"      | 8 on 6.50   | 0 3960 @ 95psi | F          | Aluminum    |



# STANDENS

AN IMT COMPANY™

## Trailer Axles and Components 8,000 lb.



**Genuine  
Standen's Parts**

 **INGERSOLL AXLES**  
AN IMT COMPANY™

**McCOY Bros.**


Distributor  
  
**EXTER AXLE**  
Genuine Replacement Parts

**AL-KO** 

**ISO 9001  
CERTIFIED**

**Top Quality Trailer Axles & Components**

## 8,000 LB CAPACITY



### PARTS

| Item | Part # | Description            |
|------|--------|------------------------|
| 1    | SE-16  | Seal for Grease Packed |
| 1    | 10-063 | Seal for Oil Bath      |
| 2    | 25580  | Inner Bearing Cone     |
| 3    | 25520  | Inner Bearing Cup      |
| 4    | 02420  | Outer Bearing Cup      |
| 5    | 02475  | Outer Bearing Cone     |
| 6    | 821-3  | Spindle Nut            |
| 7    | 880-1  | Cotter Pin             |
| 8C   | 21-35  | Oil Cap                |
| 8D   | 46-32  | Oil Cap Plug           |
| 9    | 841-1  | Spindle Washer         |
| NS   | 46-52  | Oil Filler Plug        |
| 16   | 10-45  | O' Ring for Oil Lube   |

### 12 1/4" X 3 3/8" Brakes

| Item | Part #           | Description                           |
|------|------------------|---------------------------------------|
| 10   | 36-115-20        | Dust Shield                           |
| 20   | K23-434/ K23-435 | LH/RH Electric Self-Adjust            |
| NS   | K23-402/ K23-403 | LH/RH Hydraulic Self-Adjust Duo Servo |

### STUDS & WHEEL NUTS

| Item | Part #  | Description           | NUT TORQUE  |
|------|---------|-----------------------|-------------|
| 12   | WN-6    | 9/16-18 60° Cone Nut  |             |
| * 12 | WN-10   | 5/8-18 90° Cone Nut   | 200 lbs.-Ft |
| * 13 | 33-52-1 | Clamp Ring            |             |
| 18   | WS-122  | 9/16-18 Press-in Stud |             |
| 18   | WS-123  | 5/8-18 Press-in Stud  |             |
| NS   | WN-12   | 5/8-18 Flange Nut     |             |

### HUBS

| Item | Part #    | Description                  | Bolt Circle |
|------|-----------|------------------------------|-------------|
| 24   | K9-168-58 | Oil 5/8" Stud Grease or Oil  | 8 on 6.50   |
| 24   | K9-168    | Oil 9/16" Stud Grease or Oil | 8 on 6.50   |
| NS   | K8-168    | Oil 9/16" Stud Grease or Oil | 8 on 6.50   |

Note: ABS and DISC brakes available on request

Note: Spindle is not available for resale.


Note: Hubs & Hub Drums sold as a kit. Kit contains seal, inner / outer bearings, caps with plug and 'O' Ring, Wheel Nuts and Hub/Hub Drum cupped and Studded

NS - Not Shown

\* Must use the 90° cone nut with the clamp ring. Alternate fastener is just the flange nut.

"Portions of this catalog are copyrighted by Dexter Axle and were used with the expressed authority of Dexter Axle, but Dexter Axle is not responsible for the accuracy of the information contained herein"

## 12 1/4" X 3 3/8" Brakes



### DXQ ELECTRIC BRAKES & COMPONENTS


| Item | Part #    | Qty/Brake | Description                        | Item | Part #    | Qty/Brake | Description                   |
|------|-----------|-----------|------------------------------------|------|-----------|-----------|-------------------------------|
| 0    | K23-434   | 1         | LH Complete Brake Assembly (Shown) | 10   | 46-136    | 2         | Centering Spring              |
| 0    | K23-435   | 1         | RH Complete Brake Assembly         | 11   | 71-462    | 1         | Adjuster Cable                |
| 1    | 71-499    | 1         | LH Shoe & Lining Kit Contains:     | 12   | 71-464    | 1         | LH Adjuster Lever             |
|      |           |           | 1 - LH Primary Shoe & Lining       | 12   | 71-463    | 1         | RH Adjuster Lever             |
|      |           |           | 1 - LH Secondary Shoe & Lining     | 14   | 46-137    | 1         | Adjuster Spring               |
| 1    | 71-498    | 1         | RH Shoe & Lining Kit Contains:     | 15   | 48-019    | 1         | LH Adjuster Assembly (silver) |
|      |           |           | 1 - RH Primary Shoe & Lining       | 15   | 48-020    | 1         | RH Adjuster Assembly (gold)   |
|      |           |           | 1 - RH Secondary Shoe & Lining     | *16  | 36-115-20 | 1         | Dust Shield                   |
| 5    | 47-123-38 | 1         | LH Actuating Arm Assembly          | *17  | 802-4     | 4         | Brake Mounting Bolt           |
| 5    | 47-123-37 | 1         | RH Actuating Arm Assembly          | 18   | 46-7      | 2         | Adjuster Slot Plug            |
| 6    | 27-39     | 3         | Wire Clip                          | 19   | 46-16     | 1         | Wire Grommet                  |
| 7    | 71-455-01 | 1         | LH Arm/Shoe Retainer               | 20   | 46-133    | 1         | Adjuster Clip (barrel end)    |
| 7    | 71-455-02 | 1         | RH Arm/Shoe Retainer               | 21   | 46-132    | 1         | Adjuster Clip (thread end)    |
| 9    | 71-375    | 1         | Magnet Kit Contains:               | *26  | 820-3     | 4         | Brake Mounting Locknut        |
|      |           |           | 1- Magnet                          | 28   | 46-119    | 1         | Return Spring                 |
|      |           |           | 1- Magnet Retainer Clip            |      |           |           |                               |
|      |           |           | 1- Magnet Spring                   |      |           |           |                               |

\* Included with complete brake assembly

\*\* Special Order only

"Portions of this catalog are copyrighted by Dexter Axle and were used with the expressed authority of Dexter Axle, but Dexter Axle is not responsible for the accuracy of the information contained herein"

## Hydraulic Brake



| Item | Part #    | Qty/Brake | Description                                                                                                                              | Item | Part #     | Qty/Brake | Description                               |
|------|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------|------|------------|-----------|-------------------------------------------|
| 0    | K23-402   | 1         | LH Complete Brake Assembly FSA DS (shown)                                                                                                | 7    | 54-033     | 2         | Cylinder Push Rod DS (2)                  |
| 0    | K23-403   | 1         | RH Complete Brake Assembly FSA DS                                                                                                        | ** 8 | 036-064-03 | 1         | Spider Assembly (incl. items #4, 6, 7) DS |
| * 1  | 36-115-20 | 1         | Dust Shield                                                                                                                              | 9    | 46-87      | 1         | Retractor Spring                          |
| 2    | 69-053    | 1         | Retainer                                                                                                                                 | 10   | 71-464     | 1         | LH Adjuster Lever                         |
| 3    | 71-165    | 1         | LH Shoe & Lining Kit Contains:<br>1- LH Primary Shoe & Lining<br>1- LH Secondary Shoe & Lining<br>2- Shoe Hold Down Washer<br>2- Locknut | 10   | 71-463     | 1         | RH Adjuster Lever                         |
| 3    | 71-166    | 1         | RH Shoe & Lining Kit Contains:<br>1- RH Primary Shoe & Lining<br>1- RH Secondary Shoe & Lining<br>2- Shoe Hold Down Washer<br>2- Locknut | 11   | 46-135     | 1         | LH Adjuster Spring                        |
| 4    | 7-113     | 2         | Shoe Hold Down Screw                                                                                                                     | 11   | 46-134     | 1         | RH Adjuster Spring                        |
| 5    | 71-462    | 1         | Adjuster Cable                                                                                                                           | 12   | 71-456     | 1         | Cable Attachment Bracket                  |
| 6    | 71-80     | 1         | Wheel Cylinder Kit (1.00" Bore) Contains:<br>1- Spring<br>2- Boot<br>2- Piston<br>2- Cup<br>1- Bleeder Screw                             | 13   | 46-131-01  | 1         | Extension Spring                          |
|      |           |           |                                                                                                                                          | 15   | 48-019     | 1         | LH Adjuster Assembly                      |
|      |           |           |                                                                                                                                          | 15   | 48-020     | 1         | RH Adjuster Assembly                      |
|      |           |           |                                                                                                                                          | * 16 | 802-4      | 4         | Brake Mounting Bolt                       |
|      |           |           |                                                                                                                                          | 18   | 34-062     | 1         | Piston Stop                               |
|      |           |           |                                                                                                                                          | 19   | 46-132     | 1         | Adjuster Clip (thread end)                |
|      |           |           |                                                                                                                                          | 20   | 46-133     | 1         | Adjuster Clip (barrel end)                |
|      |           |           |                                                                                                                                          | 25   | 46-7       | 2         | Adjuster Slot Plug                        |
|      |           |           |                                                                                                                                          | * 26 | 820-3      | 4         | Brake Mounting Locknut                    |


\* Included with complete brake assembly

\*\* Special Order only

"Portions of this catalog are copyrighted by Dexter Axle and were used with the expressed authority of Dexter Axle, but Dexter Axle is not responsible for the accuracy of the information contained herein"

## LEAF SPRING APPLICATION INFORMATION

### 36" SPREAD SLIPPER SPRING SUSPENSION



## SLIPPER SPRINGS

### Tandem & Triple Hanger Kits #571-36-HD / 572-36-HD 36" Axle Spread

| Part #      | Description                       |
|-------------|-----------------------------------|
| 28-001-58HD | Front Hanger                      |
| 29-001HD    | Centre Hanger                     |
| 30-028HD    | Rear Hanger                       |
| 541-1       | Equalizer (For Slipper Spring)    |
| 6-111       | 7/8" Lock Nut                     |
| 7-1-1       | 7/8" Equalizer Bolt               |
| 800-1       | 3/8" x 3 1/2" Bolt                |
| 801-2       | 5/8" Suspension Bolt - Spring Eye |
| 801-4       | 9/16" X 3 1/2" Suspension Bolt    |
| 820-1       | 3/8" Nylock Plated                |
| 820-4       | 9/16" Lock Nut                    |
| 820-5       | 5/8" Lock Nut                     |

Some combinations of hangers and spring mounting may result in sufficient bump clearance

## WHEELS

| Part #     | Rim Size | Bolt Circle | Offset | Capacity & psi | Type        |
|------------|----------|-------------|--------|----------------|-------------|
| 15-166-8-1 | Rim Size | 8 on 6.50   | 0      | 3315 @ 80psi   | Eight Spoke |
| 16-166-8-1 | 16X 6K   | 8 on 6.50   | .50 In | 3315 @ 80psi   | Mini-Mod    |

## WHEELS & TIRE ASSEMBLIES


| Part #         | Rim Size | Bolt Circle | Offset | Capacity & psi    | Load Range | Type         |
|----------------|----------|-------------|--------|-------------------|------------|--------------|
| 24-215175-8OUT | 17.5"    | 8 on 6.50   | .50 in | 4810 @ 125psi     |            | Conventional |
| 24-23580E16-8D | 16"      | 8 on 6.50   | 0      | 3100 @ 85psi      | E          | Conventional |
| 24-23585E16-8D | 16"      | 8 on 6.50   | 0      | 3200 @ 80psi Dual | E          | Conventional |
| 25-23580E16-8  | 16"      | 8 on 6.50   | 0      | 3520 @ 80psi      | E          | Eight Spoke  |
| 25-23585E16-8  | 16"      | 8 on 6.50   | 0      | 3640 @ 80psi      | E          | Eight Spoke  |
| 26-23585E16-8  | 16"      | 8 on 6.50   | 0      | 3520 @ 80psi      | E          | Modular      |
| 26-23585E16-8  | 16"      | 8 on 6.50   | 0      | 3640 @ 80psi      | E          | Modular      |
| 26-23585F16-8  | 16"      | 8 on 6.50   | 0      | 3960 @ 95psi      | F          | Modular      |
| 27-23585E16-8  | 16"      | 8 on 6.50   | 0      | 3640 @ 80psi      | E          | Aluminum     |
| 27-23585F16-8  | 16"      | 8 on 6.50   | 0      | 3960 @ 95psi      | F          | Aluminum     |



# STANDENS

AN IMT COMPANY™

## PARTS CATALOGUE



# Contents

|                              |       |
|------------------------------|-------|
| <b>Parts Catalogue</b> ..... | 37    |
| Couples.....                 | 39-41 |
| Jacks.....                   | 42-43 |
| Trailer Balls.....           | 44    |
| Receiver Tube .....          | 45    |
| Ball Hideaway.....           | 45    |
| Fifth Wheel.....             | 45    |
| KingPin Hideaway.....        | 45    |
| KinPin.....                  | 45    |
| Pintle Rings.....            | 46    |
| Pintle Hooks.....            | 47    |
| Pintle Mount.....            | 47    |
| Fenders.....                 | 48    |
| Wheels.....                  | 49    |
| Bearing Protectors.....      | 50    |
| Locks.....                   | 50    |
| D-Rings.....                 | 51    |
| Rope Rings.....              | 51    |
| Stake Pocket.....            | 51    |
| Breakaway Parts.....         | 52    |
| Brake Controls.....          | 53    |

# << COUPLERS >>

## Straight

| Part Number | Ball   | Channel | GTW   |
|-------------|--------|---------|-------|
| FUL402      | 1-7/8" | 2"      | 2,000 |
| FUL406      | 2"     | 2"      | 3,500 |
| FUL408      | 2"     | 2-1/2"  | 3,500 |
| FUL410      | 2"     | 3"      | 3,500 |
| FUL416      | 2"     | 3"      | 5,000 |




| Part Number | Ball    | Channel | GTW    |
|-------------|---------|---------|--------|
| 2B4H        | 2"      | 3"      | 5,000  |
| 4B4H        | 2-5/16" | 3"      | 12,500 |



| Part Number | Ball    | GTW    |
|-------------|---------|--------|
| 80072       | 2"      | 5,000  |
| FUL424      | 2-5/16" | 10,000 |
| 81911       | 2-5/16" | 10,000 |
| FUL420      | 2"      | 8,000  |
| FUL428      | 2-5/16" | 12,500 |
| FUL432      | 2-7/16" | 15,000 |
| 2B8L        | 2"      | 5,000  |
| 4B8L        | 2-5/16" | 12,500 |
| 4B8H        | 2-5/16" | 12,500 |

## A-Frame




### Note:

The A-Frame Coupler is available in alternative sizes.


# << COUPLERS >>

## Surge

| Part Number | Ball | GTW   |
|-------------|------|-------|
| 84132       | 2"   | 6,000 |



| Part Number | GTW    |
|-------------|--------|
| DA10        | 10,000 |
| DA20        | 20,000 |



## Gooseneck

| Part Number | Ball    | GTW    |
|-------------|---------|--------|
| 28860       | 2-5/16" | 20,000 |
| Square Post |         |        |
| 28850       | 2-5/16" | 20,000 |
| Round Post  |         |        |



| Part Number | Ball    | GTW    |
|-------------|---------|--------|
| 28150       | 2-5/16" | 20,000 |



# << COUPLERS >>

## Adjustable

**Part Number**  
4B6M

**Ball**  
2-5/16"

**GTW**  
12,500



**Part Number**  
FUL436  
FUL436P

**Ball**  
2-5/16"  
2-5/16"

**GTW**  
14,000  
14,000



**Part Number**  
18820

**Ball**  
2-5/16"

**GTW**  
12,000



**Part Number**  
8978

**Ball**  
4 Hole  
3 Position

**GTW**  
12,000

8979

6 Hole  
5 Position

14,000



# << JACKS >>

| Part Number | Wind | Retracted | Extended | Capacity |
|-------------|------|-----------|----------|----------|
| 87510       | Side | 8.4"      | 22.4"    | 2,000    |
| 80391       | Top  | 10.9"     | 25"      | 5,000    |
| FUL126E     | Top  | 10"       | 24.25"   | 5,000    |

## A-Frame



| Part Number | Mount Bracket | Retracted | Extended | Capacity |
|-------------|---------------|-----------|----------|----------|
| FUL102      | Inc.          | 10.75"    | 20"      | 2,000    |
| FUL110E     | Inc.          | 15"       | 30"      | 2,000    |
| FUL122      | Inc           | 15"       | 29"      | 5,000    |
| 82741       | 82500         | 10.6"     | 25.3"    | 5,000    |

## Swing Up Top Wind



| Part Number   | Mount Bracket | Retracted | Extended | Capacity |
|---------------|---------------|-----------|----------|----------|
| 620021        | 15279         | 10.4"     | 20.4"    | 5,000    |
| 620023        | 15279         | 15.4"     | 30.4"    | 5,000    |
| Square 195356 | Inc.          | 15.1"     | 30.1"    | 3,000    |

## Swing Up Side Wind



# 

## Drop Leg



| Part Number | Wind | Retracted | Extended | Capacity |
|-------------|------|-----------|----------|----------|
| FUL130      | Top  | 22.5"     | 51"      | 5,000    |
| 190704      | Top  | 21.5"     | 50"      | 7,000    |
| 190754      | Side | 24"       | 52.5"    | 7,000    |



| Part Number | Crank | Spring Return | Pull Pin | Retracted | Extended | Capacity |
|-------------|-------|---------------|----------|-----------|----------|----------|
| 182400      | 15181 | No            | Side     | 27.4"     | 53.3"    | 12,000   |
| 182415      | 15181 | No            | Front    | 28.6"     | 54.3"    | 12,000   |
| 182800      | 15181 | Yes           | Side     | 27.6"     | 53.6"    | 12,000   |
| 182815      | 15181 | Yes           | Front    | 28.6"     | 54.6"    | 12,000   |
| 2 Speed     |       |               |          |           |          |          |
| 182816      | 15181 | Yes           | Front    | 28.6"     | 54.6"    | 12,000   |

## << TRAILER BALLS >>



| Part Number | Ball    | Shank  | Rise | Capacity |
|-------------|---------|--------|------|----------|
| CB-26       | 2"      | 1"     |      | 10,000   |
| CB-30       | 2-5/16" | 1"     |      | 10,000   |
| CB-31       | 2-5/16" | 1-1/4" |      | 10,000   |
| SB312       | 2-5/16" | 1-1/4" |      | 30,000   |
| SB3121      | 2-5/16" | 1-1/2" | 1"   | 30,000   |
| SB3122      | 2-5/16" | 1-1/2" | 2"   | 30,000   |

## << RECEIVER TUBE >>



| Part Number | I.D. | Length |
|-------------|------|--------|
| RT25812     | 2"   | 12"    |
| RT25806     | 2"   | 6"     |

## << >> **BALL HIDEAWAY**




| Part Number | Ball  | Safety Chain Attachment | Capacity |
|-------------|-------|-------------------------|----------|
| 25,000      | 75064 | 2-5/16"                 | Yes      |

## << >> **FIFTH WHEEL**



| Part Number | Capacity |
|-------------|----------|
| FW0001      | 32,000   |

## << >> **KINGPIN HIDEAWAY**



| Part Number | Capacity |
|-------------|----------|
| FW0030      | 32,000   |

## << >> **KINGPIN**



| Part Number | Bolster Plate Size | Capacity |
|-------------|--------------------|----------|
| T809-F      | 3/8"               | 40,000   |

# << PINTLE RINGS >>



| Part Number | I.D. | O.D.   | Thickness |
|-------------|------|--------|-----------|
| LW625       | 3"   | 5"     | 1"        |
| LW847       | 3"   | 6-1/4" | 1-5/8"    |

## 4 Bolt Drawbar Ring



| Part Number | I.D.   | Bolt Pattern<br>Square | Thickness | Capacity<br>Tongue | Capacity<br>Trailer |
|-------------|--------|------------------------|-----------|--------------------|---------------------|
| 1250-15H    | 2-1/2" | 4-1/2"                 | 1-1/4"    | 7,000              | 35,000              |
| 1385        | 3"     | 4-1/2"                 | 1-5/8"    | 15,000             | 60,000              |

## Adjustable Ring



| Part Number | I.D. | Bolt Pattern<br>Square | Thickness | Capacity<br>Tongue | Capacity<br>Trailer |
|-------------|------|------------------------|-----------|--------------------|---------------------|
| 16137       | 3"   | 2"                     | 1-9/16"   | 2,000              | 12,000              |

# << PINTLE HOOKS >>

## 4 Bolt Pintle Hitch



| Part Number | Bolt Pattern Square | Capacity Tongue | Capacity Trailer |
|-------------|---------------------|-----------------|------------------|
| PH5         | 1-3/4" x 3-3/8"     | 2,000           | 10,000           |
| PH8         | 1-3/4" x 3-3/8"     | 3,200           | 16,000           |
| PH15        | 1-3/4" x 3-3/8"     | 6,000           | 30,000           |

## 4 Bolt Pintle/Ball Hitch



| Part Number | Bolt    | Bolt Pattern Square | Capacity Tongue | Capacity Trailer |
|-------------|---------|---------------------|-----------------|------------------|
| PD-2        | 2"      | 1-3/4" x 3-3/8"     | 3,000           | 16,000           |
| PD-23       | 2-5/16" | 1-3/4" x 3-3/8"     | 3,000           | 16,000           |

# << PINTLE MOUNT >>

| Part Number |                   | Capacity |
|-------------|-------------------|----------|
| PM-87       | 4 Hole 3 Position | 10,000   |
| PM-812      | 7 Hole 6 Position | 10,000   |



# 

## Single

| Part Number | Width   | Length  | Inside Lip   | Outside Lip  |
|-------------|---------|---------|--------------|--------------|
| F721        | 7"      | 21      | 1-1/2" Curve | 1-1/2" Curve |
| F824        | 7-1/2"  | 23-1/2" | 1-1/2" Curve | 1-1/2" Curve |
| F828        | 8"      | 28"     | 1" Curve     | 1" Curve     |
| F931        | 9"      | 31"     | 1" Curve     | 1" Curve     |
| F932        | 9"      | 32"     | 1" 90        | 1" Curve     |
| F1132       | 10-3/4" | 32"     | 1" 90        | 1" Curve     |
| F1136       | 10-3/4" | 36"     | 1" 90        | 1" Curve     |



## Tandem Teardrop

| Part Number | Width   | Length | Gauge |             |
|-------------|---------|--------|-------|-------------|
| F966        | 9"      | 66"    | 16    |             |
| F972        | 9"      | 72"    | 16    |             |
| F972TP      | 9"      | 72"    | 14    | Tread Plate |
| F1168       | 10-3/4" | 68"    | 16    |             |
| F1172       | 10-3/4" | 72"    | 16    |             |
| F1172TP     | 10-3/4" | 72"    | 14    | Tread Plate |




## Triple Teardrop

| Part Number | Width   | Length | Gauge |
|-------------|---------|--------|-------|
| F11108TP    | 10-3/4" | 108"   | 14    |
| F9108TP     | 9       | 108"   | 14    |



## Fender Back

| Part Number | Length  | Gauge |             |
|-------------|---------|-------|-------------|
| FB32        | 30-1/2" | 16    |             |
| FB1172      | 69"     | 16    |             |
| FB72TP      | 69"     | 14    | Tread Plate |



# WHEELS

| Part Number | Size     | Bolt Pattern | Pilot | Capacity |
|-------------|----------|--------------|-------|----------|
| 15-1345-5-1 | 13 x 4.5 | 5 on 4.5"    | 3.30" | 1,360@50 |
| 15-146-5-1  | 14 x 6   | 5 on 4.5"    | 3.30" | 1,870@50 |
| 15-156-5-1  | 15 x 6   | 5 on 4.5"    | 3.30" | 2,150@75 |
| 15-156-6-1  | 15 x 6   | 6 on 5.5"    | 4.28" | 2,540@75 |
| 15-166-6-1  | 16 x 6   | 6 on 5.5"    | 4.28" | 3,000@80 |
| 15-166-8-1  | 16 x 6   | 8 on 6.5"    | 5.15" | 3,750@80 |

## Eight-Spoke



| Part Number | Size   | Bolt Pattern | Pilot | Capacity  |
|-------------|--------|--------------|-------|-----------|
| 16-156-5-1  | 15 x 6 | 5 on 4.5"    | 3.30" | 2,150@75  |
| 16-156-6-1  | 15 x 6 | 6 on 5.5"    | 4.28" | 2,540@75  |
| 16-166-6-1  | 16 x 6 | 6 on 5.5"    | 5.15" | 3,000@75  |
| 16-166-8-1  | 16 x 6 | 8 on 6.5"    | 5.15" | 3,750@110 |

## Mini-Mod



| Part Number  | Size             | Bolt Pattern | Pilot | Capacity  |
|--------------|------------------|--------------|-------|-----------|
| 14-166-8D    | 16 x 6 Dual      | 8 on 6.5"    | 4.75" | 3,000@75  |
| 14-175675-8D | 1735 x 6.75 Dual | 8 on 275mm   | 22mm  | 5,355@125 |

## Duals



## ◀◀ BEARING PROTECTORS ▶▶



| Part Number |       | Hub Diameter |
|-------------|-------|--------------|
| FUL602      |       | 1.98"        |
| FUL604      |       | 2.44"        |
| FUL606      | Cover | 1.98"        |
| FUL608      | Cover | 2.44"        |

## ◀◀ LOCKS ▶▶




| Part Number |           |
|-------------|-----------|
| FUL612      | Universal |

## << D-RINGS >>



| Part Number | Thickness | Ring I.D.       | Safe Working Load | Ultimate Breaking Strength |
|-------------|-----------|-----------------|-------------------|----------------------------|
| B38         | 1/2"      | 2-3/8" x 2-1/2" | 4,080             | 11,781                     |
| B40         | 5/8"      | 3" x 3"         | 6,130             | 18,390                     |
| B46         | 3/4"      | 3" x 3"         | 9,120             | 26,500                     |
| B50         | 1"        | 3" x 4"         | 15,586            | 46,760                     |

## << ROPE RINGS >>



| Part Number | Required Hole Size | Depth | Capacity |
|-------------|--------------------|-------|----------|
| B601        | 3"                 | 3/8"  | 500      |
| B801        | 3-5/8"             | 7/8"  | 5,000    |

## << STAKE POCKET >>



| Part Number | I.D.            | Thickness | Depth |
|-------------|-----------------|-----------|-------|
| B2373R      | 3-1/2" x 1-1/2" | 7/32"     | 3"    |

# << BREAKAWAY PARTS >>

## Case



### Part Number

|       |                    |
|-------|--------------------|
| 2051  | 4 Bolt Mount       |
| 20000 | 2 Bolt or Weldable |

## Charger



### Part Number

|      |                       |
|------|-----------------------|
| 2024 | 2 Stage Auto Shut-Off |
|------|-----------------------|

## Switch



### Part Number

2010

### Casing

Nylon

### Pin

Nylon

### Bracket

Metal

## Breakaway Kit



### Part Number

20005

### Includes

2051 Case  
2023 Battery  
2010 Switch



### Part Number

|       |                 |
|-------|-----------------|
| 2010A | Replacement Pin |
|-------|-----------------|

## Battery



### Part Number

|      |                              |
|------|------------------------------|
| 2023 | 5 AMP/HR Sealed Rechargeable |
|------|------------------------------|

# << **BRAKE CONTROLS** >>



## **Part Number**

9030

2,4,6,8 Brake Trailer



## **Part Number**

58-008

2,4 Brake Trailer

2,4,6,8 Elec/Hyd Brake Trailers

## **Electric/Hydraulic**



## **Part Number**

71-650

71-651

## **PSI**

1,000 Drum Brake

1,600 Disc Brake

# STANDENS

AN IMT COMPANY™

## CONTACT NUMBERS



### HEAD OFFICE & MAIN PLANT

1222 - 58th Avenue S.E.  
P.O. Box 67, Station "T"  
Calgary, Alberta  
Canada T2H 2G7

Toll Free: 1-800-663-7800  
Phone: (403) 258-7800  
Fax: (403) 258-7897  
Toll Free Fax: 1-866-258-7897

[www.standens.com](http://www.standens.com)

### AXLE DIVISION

5760 - 11th Street SE  
Calgary, AB  
Canada T2H 2G7  
Phone: (403) 258-7896  
Fax: (403) 258-7803  
[axleparts@standens.com](mailto:axleparts@standens.com)

### DISTRIBUTION CENTRES

**EDMONTON**  
18922 - 111 Avenue NW  
Edmonton, AB  
Canada T5S 0B6  
Phone: (780) 430-7130  
Fax: (780) 430-7037

**VANCOUVER**  
Unit B 19372 - 94 Avenue  
Surrey, BC  
Canada V4N 4E4  
Toll Free: 1-800-665-9633  
Phone: (604) 888-7287  
Fax: (604) 888-7260

**LONGUEUIL**  
430 rue Jean-Neveu  
Longueuil, Quebec  
Canada J4G 1N8  
Toll Free: 1-866-674-0855  
Phone: (450) 674-0855  
Fax: (866) 674-0938

### DISTRIBUTION CENTRES

**TORONTO**  
1238 Aimco Blvd.  
Mississauga, Ont.  
Canada L4W 1B2  
Toll Free: 1-800-567-7800  
Phone: (905) 625-0341  
Fax: (905) 625-2551

**RANCHO CUCAMONGA**  
9881 - 6 Street, Suite 205  
Rancho Cucamonga, CA  
U.S.A. 91730-5700  
Phone: (909) 466-5655  
Fax: (909) 466-0060

**INDIANA**  
6450 English Avenue  
Indianapolis, IN  
U.S.A. 46219  
Toll Free: 1-800-851-2254  
Phone: (317) 423-1471  
Fax: (317) 423-1925

### SERVICE CENTRE

1222 - 58th Avenue S.E.  
P.O. Box 67, Station "T"  
Calgary, Alberta  
Canada T2H 2G7  
Toll Free: 1-800-663-7800  
Phone: (403) 258-7800  
Fax: (403) 258-7897  
Toll Free Fax: 1-866-258-7897

### CHINA PLANT

Standen's L & H  
(Xuzhou) Co. Ltd.  
28 Jinshan Road  
Xuzhou Economic and  
Development Zone  
Xuzhou, Jiangsu 221004  
Phone: 86-516-8798-7958  
Fax: 86-516-8798-7900